

Vaccines in Pregnancy: What's Recommended and When?

Top Takeaways

- Know the 3 routinely recommended vaccines in pregnancy (Tdap, influenza, and COVID-19) and update patient profiles with pregnancy status and due date to flag eligible candidates.
- Ensure patients fill out a vaccine consent form to help screen for other vaccines which may be appropriate based on risk factors or history.
- Alert the pharmacist before processing any vaccine request from a pregnant patient, since some vaccines may need to be deferred or avoided.

You're in a prime position to **help ensure pregnant patients get the right vaccines at the right times.**

Vaccines are especially important during pregnancy...since certain infections can cause serious complications for both mom and baby.

But not all vaccines are appropriate at every stage...some depend on timing or risk factors, and others are contraindicated altogether.

Use these tips and our table below to help flag potential opportunities for vaccination during pregnancy and keep mom and baby safe.

Be familiar with the 3 vaccines routinely recommended in pregnancy: Tdap for pertussis (whooping cough) protection...influenza...and COVID-19.

Update patient profiles with pregnancy status...and document the patient's due date if possible...to help identify eligible candidates.

Pregnant patients should get a dose of Tdap (Adacel, Boostrix) between weeks 27 and 32 of EACH pregnancy...even if they're close together and regardless of the time of year. This helps to protect each baby.

Continue to offer an inactivated INJECTABLE flu vaccine and an updated COVID-19 vaccine ideally in early fall for patients in any trimester. Evidence continues to demonstrate that this is safe...and also helps protect the infant who can't receive these vaccines until 6 months of age.

Expect other vaccines may be given based on risk factors or vaccine history...such as HepA or HepB, Men-C-ACWY, and pneumococcal. No safety signals have been identified with these vaccines in pregnant patients.

RSV will also be considered if the baby will not receive an RSV monoclonal antibody (nirsevimab) after birth. These patients will receive 1 dose of Abrysvo between 28 through 36 weeks of the FIRST eligible pregnancy...usually September through January.

Watch for mix-ups with the RSV vaccines Arexvy and mResvia...they're NOT approved in pregnancy.

Be aware that if mom delivers within 2 weeks after getting Abrysvo or if the dose was in a prior pregnancy, the baby should get an RSV monoclonal antibody (nirsevimab) after birth. Most babies do NOT need both approaches for protection.

Have patients who are getting a vaccine fill out a vaccine consent form...to help your pharmacist evaluate which vaccines may be appropriate.

Stay alert for vaccines that should be deferred or avoided in pregnancy. For example, live vaccines (MMR,

Cite this document as follows: Article, Vaccines in Pregnancy: What's Recommended and When?<br class="t-last-br" />, Pharmacy Technician's Letter Canada, August 2026

The content of this article is provided for educational and informational purposes only, and is not a substitute for the advice, opinion or diagnosis of a trained medical professional. If your organization is interested in an enterprise subscription, email sales@trchealthcare.com.

© 2026 Therapeutic Research Center (TRC). TRC and Pharmacy Technician's Letter Canada and the associated logo(s) are trademarks of Therapeutic Research Center. All Rights Reserved.

intranasal flu vaccine, etc) are contraindicated in pregnancy...due to a theoretical risk of transmitting the vaccine virus to the fetus which could cause infection.

Keep in mind that breastfeeding moms may safely receive all routine vaccines that are needed...with some exceptions for nonroutine vaccines (smallpox, yellow fever, etc).

Refer to our vaccine-specific resources...*Tetanus Prevention and Vaccination*, *RSV Vaccines*, etc...for more guidance and product info.

Vaccine Recommendations During Pregnancy	
Vaccine	General Recommendation
COVID-19	Administer during any trimester of each pregnancy, at appropriate interval since last COVID-19 vaccine, mRNA vaccine preferred.
Hepatitis A	Use if indicated
Hepatitis B	Administer if seronegative or at high risk of exposure
HPV	Use if indicated
Influenza	Administer inactivated vaccine during each influenza season, during any trimester of each pregnancy, ideally in the early fall.
Men-C-ACWY	Use if indicated
Men B	Use if indicated
MMR	Contraindicated in pregnancy
Pneumococcal	Use if indicated
RSV	Consider Abrysvo at 28-36 weeks during RSV season if baby will not receive nirsevimab
Tdap	Administer any Tdap product at 27-32 weeks of EACH pregnancy at any time of year
Varicella	Contraindicated in pregnancy
Zoster (recombinant)	Not recommended during pregnancy

Key References:

- <https://www.canada.ca/en/public-health/services/publications/healthy-living/canadian-immunization-guide-part-3-vaccination-specific-populations/page-4-immunization-pregnancy-breastfeeding.html> (Accessed July 14, 2026).
- https://publications.gc.ca/collections/collection_2026/aspc-phac/HP40-402-2026-eng.pdf (Accessed July 14, 2026)
- American College of Obstetricians & Gynecologists. 2026 ACOG Maternal Immunization Schedule. 2026. <https://www.acog.org/clinical-information/maternal-immunization-schedule> (Accessed June 26, 2026).
- Maternal immunizations. Committee Statement No. 26. American College of Obstetricians & Gynecologists. *Obstet Gynecol* 2026;147:e123–e128.
- Immunize.org. Vaccinations Needed During Pregnancy. November 2023. <https://www.immunize.org/wp-content/uploads/catg.d/p4040.pdf> (Accessed June 26, 2026).

Cite this document as follows: Article, Vaccines in Pregnancy: What's Recommended and When?<br class="t-last-br" />, Pharmacy Technician's Letter Canada, August 2026

The content of this article is provided for educational and informational purposes only, and is not a substitute for the advice, opinion or diagnosis of a trained medical professional. If your organization is interested in an enterprise subscription, email sales@trchealthcare.com.

© 2026 Therapeutic Research Center (TRC). TRC and Pharmacy Technician's Letter Canada and the associated logo(s) are trademarks of Therapeutic Research Center. All Rights Reserved.

Canadian Pharmacy Technician's Letter. August 2026, No. 420849

Cite this document as follows: Article, Vaccines in Pregnancy: What's Recommended and When?<br class="t-last-br" />, Pharmacy Technician's Letter Canada, August 2026

The content of this article is provided for educational and informational purposes only, and is not a substitute for the advice, opinion or diagnosis of a trained medical professional. If your organization is interested in an enterprise subscription, email sales@trchealthcare.com.

© 2026 Therapeutic Research Center (TRC). TRC and Pharmacy Technician's Letter Canada and the associated logo(s) are trademarks of Therapeutic Research Center. All Rights Reserved.